Hits 2611	Search Text ((secur\$4 OR encrypt\$4 OR encipher\$4 OR scrambl\$4 OR protected) NEAR3 (contain\$4 OR content\$1 OR data OR file\$1 OR document\$1 OR program\$4 OR video))	DB EPO; JPO; DERWENT	Time stamp 2004/05/24 17:15
2611	scrambl\$4 OR protected) NEAR3 (contain\$4 OR content\$1 OR data OR file\$1 OR document\$1 OR program\$4 OR	4	
	WITH (detect\$4 OR find\$4 OR locat\$4 OR presence)		
48	<pre>(((secur\$4 OR encrypt\$4 OR encipher\$4 OR scrambl\$4 OR protected) NEAR3 (contain\$4 OR content\$1 OR data OR file\$1 OR document\$1 OR program\$4 OR video))</pre>	EPO; JPO; DERWENT	2004/05/24 16:42
	WITH (detect\$4 OR find\$4 OR locat\$4 OR presence)) AND (((secur\$4 OR encrypt\$4 OR encipher\$4 OR scrambl\$4 OR protected)		
	NEAR3 (contain\$4 OR content\$1 OR data OR file\$1 OR document\$1 OR program\$4 OR video))		
	WITH (determin\$4 OR ascertain\$4 OR find\$4) WITH		
	(transmi\$6 OR rout\$4 OR send\$4 OR forward\$4 OR recipient\$1 OR address\$2 OR client\$1 OR host\$1))		
		file\$1 OR document\$1 OR program\$4 OR video)) WITH (determin\$4 OR ascertain\$4 OR find\$4) WITH (transmi\$6 OR rout\$4 OR send\$4 OR forward\$4 OR recipient\$1 OR address\$2 OR	file\$1 OR document\$1 OR program\$4 OR video)) WITH (determin\$4 OR ascertain\$4 OR find\$4) WITH (transmi\$6 OR rout\$4 OR send\$4 OR forward\$4 OR recipient\$1 OR address\$2 OR

3		A Liver of the Control of the Contro	·	1 2 2 2 4 2 5 7 2 4
3	24	((((secur\$4 OR encrypt\$4 OR encipher\$4 OR scrambl\$4 OR protected)	EPO; JPO; DERWENT	2004/05/24 16:44
	4.4	NEAR3 (contain\$4 OR content\$1 OR data OR file\$1 OR document\$1 OR program\$4 OR video))		and the second second
		WITH		
		(detect\$4 OR find\$4 OR locat\$4 OR presence)		
) AND (((secur\$4 OR encrypt\$4 OR encipher\$4 OR scramb1\$4 OR protected)		
		NEAR3 (contain\$4 OR content\$1 OR data OR file\$1 OR document\$1 OR program\$4 OR video))		
		WITH		
		(determin\$4 OR ascertain\$4 OR find\$4)		
		WITH		
		(transmi\$6 OR rout\$4 OR send\$4 OR forward\$4 OR recipient\$1 OR address\$2 OR client\$1 OR host\$1))		
) AND (((secur\$4 OR encrypt\$4 OR encipher\$4 OR scrambl\$4 OR protected)		
		NEAR3 (contain\$4 OR content\$1 OR data OR file\$1 OR document\$1 OR program\$4 OR video))		
		WITH		
		(determin\$4 OR ascertain\$4 OR find\$4)		
		WITH		
		(control\$4 OR allow\$6 OR govern\$4 OR permi\$6 OR privileg\$4 OR right\$1 OR rul\$3 OR use\$1 OR usage\$1))		

	4	9	(((((secur\$4 OR encrypt\$4 OR encipher\$4 OR scrambl\$4 OR protected)	EPO; JPO; DERWENT	2004/05/24 16:45
. "r			NEAR3 (contain\$4 OR content\$1 OR data OR file\$1 OR document\$1 OR program\$4 OR video))	••	t was a Space of a
			WITH		
			(detect\$4 OR find\$4 OR locat\$4 OR presence)		
) AND (((secur\$4 OR encrypt\$4 OR encipher\$4 OR scrambl\$4 OR protected)		
			NEAR3 (contain\$4 OR content\$1 OR data OR file\$1 OR document\$1 OR program\$4 OR video))		
			WITH		
1809			(determin\$4 OR ascertain\$4 OR find\$4)		
			WITH		
			<pre>(transmi\$6 OR rout\$4 OR send\$4 OR forward\$4 OR recipient\$1 OR address\$2 OR client\$1 OR host\$1))</pre>		
) AND (((secur\$4 OR encrypt\$4 OR encipher\$4 OR scrambl\$4 OR protected)		
			NEAR3 (contain\$4 OR content\$1 OR data OR file\$1 OR document\$1 OR program\$4 OR video))		
			WITH		
			(determin\$4 OR ascertain\$4 OR find\$4)		
ా చిశాణ	i.o		WITH		
			<pre>(control\$4 OR allow\$6 OR govern\$4 OR permi\$6 OR privileg\$4 OR right\$1 OR rul\$3 OR use\$1 OR usage\$1))</pre>		
	5	11558) AND (@pd<19950213) ((secur\$4 OR encrypt\$4 OR encipher\$4 OR scrambl\$4 OR protected)	EPO; JPO; DERWENT	2004/05/24 17:27
			NEAR3 (contain\$4 OR content\$1 OR data OR file\$1 OR document\$1 OR program\$4 OR video))	dissortion for	
. 4 .	Service Control	arm rieti	WITH	AND THE THE STATE OF THE STATE OF	Time Carrier (1, 7)
			(control\$4 OR allow\$6 OR govern\$4 OR permi\$6 OR privileg\$4 OR right\$1 OR rul\$3 OR use\$1 OR usage\$1)		

237	((\text{secur\$4} OR encrypt\$4 OR encipher\$4 OR scrambl\$4 OR protected)	EPO; JPO; DERWENT	2004/05/24 17:16
aa.	NEAR3 (contain\$4 OR content\$1 OR data OR file\$1 OR document\$1 OR program\$4 OR video))		u paramakan Arika 🕠
	WITH		
·	(control\$4 OR allow\$6 OR govern\$4 OR permi\$6 OR privileg\$4 OR right\$1 OR rul\$3 OR use\$1 OR usage\$1)		
) AND ((determin\$4 OR ascertain\$4 OR find\$4)		
	WITH		
. President	(transmi\$6 OR rout\$4 OR send\$4 OR forward\$4 OR recipient\$1 OR address\$2 OR client\$1 OR host\$1))		v
62	((((secur\$4 OR encrypt\$4 OR encipher\$4 OR scrambl\$4 OR protected)	EPO; JPO; DERWENT	2004/05/24 17:17
	NEAR3 (contain\$4 OR content\$1 OR data OR file\$1 OR document\$1 OR program\$4 OR video))		
	WITH		
	(control\$4 OR allow\$6 OR govern\$4 OR permi\$6 OR privileg\$4 OR right\$1 OR rul\$3 OR use\$1 OR usage\$1)		
) AND ((determin\$4 OR ascertain\$4 OR find\$4)		
	WITH		
. J. 29¥	(transmi\$6 OR rout\$4 OR send\$4 OR forward\$4 OR recipient\$1 OR address\$2 OR client\$1 OR host\$1))) AND ((verif\$6 OR check\$4 OR author\$6 OR specif\$4 OR confirm\$6)	পার স্ব	
	WITH	·	
	(transmi\$6 OR rout\$4 OR send\$4 OR forward\$4 OR recipient\$1 OR address\$2 OR client\$1 OR host\$1))		
	62	Scrambl\$4 OR protected) NEAR3 (contain\$4 OR content\$1 OR data OR file\$1 OR document\$1 OR program\$4 OR video)) WITH (control\$4 OR allow\$6 OR govern\$4 OR permi\$6 OR privileg\$4 OR right\$1 OR rul\$3 OR use\$1 OR usage\$1)) AND ((determin\$4 OR ascertain\$4 OR find\$4) WITH (transmi\$6 OR rout\$4 OR send\$4 OR forward\$4 OR recipient\$1 OR address\$2 OR client\$1 OR host\$1)) 62 (((secur\$4 OR encrypt\$4 OR encipher\$4 OR scrambl\$4 OR protected) NEAR3 (contain\$4 OR content\$1 OR data OR file\$1 OR document\$1 OR program\$4 OR video)) WITH (control\$4 OR allow\$6 OR govern\$4 OR permi\$6 OR privileg\$4 OR right\$1 OR rul\$3 OR use\$1 OR usage\$1)) AND ((determin\$4 OR ascertain\$4 OR find\$4) WITH (transmi\$6 OR rout\$4 OR send\$4 OR forward\$4 OR recipient\$1 OR address\$2 OR client\$1 OR host\$1))) AND ((verif\$6 OR check\$4 OR author\$6 OR specif\$4 OR confirm\$6) WITH (transmi\$6 OR rout\$4 OR send\$4 OR author\$6 OR specif\$4 OR confirm\$6) WITH	Scrambl\$4 OR protected) NEAR3 (contain\$4 OR content\$1 OR data OR file\$1 OR document\$1 OR program\$4 OR video)) WITH (control\$4 OR allow\$6 OR govern\$4 OR permi\$6 OR privileg\$4 OR right\$1 OR rul\$3 OR use\$1 OR usage\$1)) AND ((determin\$4 OR ascertain\$4 OR forward\$4 OR recipient\$1 OR address\$2 OR client\$1 OR host\$1)) 62 ((((secur\$4 OR encrypt\$4 OR encipher\$4 OR scrambl\$4 OR protected) NEAR3 (contain\$4 OR content\$1 OR data OR file\$1 OR document\$1 OR program\$4 OR video)) WITH (control\$4 OR allow\$6 OR govern\$4 OR permi\$6 OR privileg\$4 OR right\$1 OR rul\$3 OR use\$1 OR usage\$1)) AND ((determin\$4 OR ascertain\$4 OR find\$4) WITH (transmi\$6 OR rout\$4 OR send\$4 OR forward\$4 OR recipient\$1 OR address\$2 OR client\$1 OR host\$1))) AND ((veri\$6 OR check\$4 OR author\$6 OR specif\$4 OR confirm\$6) WITH (transmi\$6 OR rout\$4 OR send\$4 OR forward\$4 OR recipient\$1 OR address\$2 OR client\$1 OR host\$1))) AND (verif\$6 OR check\$4 OR author\$6 OR specif\$4 OR confirm\$6) WITH

8	20	((r((secur\$4 OR encrypt\$4 OR encipher\$4 OR scrambl\$4 OR protected)	EPO; JPO; DERWENT	2004/05/24 17:18	
		NEAR3 (contain\$4 OR content\$1 OR data OR file\$1 OR document\$1 OR program\$4 OR video))	ese see The	estimal for each control of the second	****
		WITH			
		(control\$4 OR allow\$6 OR govern\$4 OR permi\$6 OR privileg\$4 OR right\$1 OR rul\$3 OR use\$1 OR usage\$1)			
) AND ((determin\$4 OR ascertain\$4 OR find\$4)			
		WITH			
	**** *	<pre>(transmi\$6 OR rout\$4 OR send\$4 OR forward\$4 OR recipient\$1 OR address\$2 OR client\$1 OR host\$1))) AND ((verif\$6 OR check\$4 OR author\$6 OR specif\$4 OR confirm\$6)</pre>	1.44,41		F.
		WITH			
9	9	(transmi\$6 OR rout\$4 OR send\$4 OR forward\$4 OR recipient\$1 OR address\$2 OR client\$1 OR host\$1))) AND (@pd<19950213) ((secur\$4 OR encrypt\$4 OR encipher\$4 OR scrambl\$4 OR protected)	EPO; JPO; DERWENT	2004/05/24 17:28	
		NEAR3 (contain\$4 OR content\$1 OR data OR file\$1 OR document\$1 OR program\$4 OR video))		·	
		WITH			
,		<pre>(control\$4 OR allow\$6 OR govern\$4 OR permi\$6 OR privileg\$4 OR right\$1 OR rul\$3 OR use\$1 OR usage\$1) WITH insurance</pre>	9 19		
10	0	(((secur\$4 OR encrypt\$4 OR encipher\$4 OR scrambl\$4 OR protected)	EPO; JPO; DERWENT	2004/05/24 17:29	
		NEAR3 (contain\$4 OR content\$1 OR data OR file\$1 OR document\$1 OR program\$4 OR video))			
		WITH			
	AMATOM TO	(control\$4 OR allow\$6 OR govern\$4 OR permi\$6 OR privileg\$4 OR right\$1 OR rul\$3 OR use\$1 OR usage\$1) WITH insurance) AND (@pd<19950213)	in an in the s	TOTAL TOTAL COMMENT MARK	40:21

11	38	(secur\$4 OR encrypt\$4 OR encipher\$4 OR scramb1\$4 OR protected)	EPO; JPO; DERWENT	2004/05/24 17:29
	·· .	NEAR3 (contain\$4 OR content\$1 OR data OR file\$1 OR document\$1 OR program\$4 OR video)		to a table to the seasons of
		AND		
		((verif\$6 OR check\$4 OR author\$6 OR specif\$4 OR confirm\$6)		
		WITH		
		(transmi\$6 OR rout\$4 OR send\$4 OR forward\$4 OR recipient\$1 OR address\$2 OR client\$1 OR host\$1)		
		WITH		
		(certificate\$1))		Mark Carlot
12	3	((secur\$4 OR encrypt\$4 OR encipher\$4 OR scramb1\$4 OR protected)	EPO; JPO; DERWENT	2004/05/24 17:29
		NEAR3 (contain\$4 OR content\$1 OR data OR file\$1 OR document\$1 OR program\$4 OR video)		
		AND		
		((verif\$6 OR check\$4 OR author\$6 OR specif\$4 OR confirm\$6)		
		WITH		
		(transmi\$6 OR rout\$4 OR send\$4 OR forward\$4 OR recipient\$1 OR address\$2 OR client\$1 OR host\$1)		
		WITH		m bestign
		(certificate\$1))) AND (@pd<19950213)		